

# Steel & Fiberglass Entry Door Collection | OREPAC







# It's the doorglass that makes the difference.

ODL began with an idea. Character, desire, and innovation made it a reality.

Founded in 1945, ODL has a proud history of innovation. Today, ODL carries on the spirit of innovation as a leading global provider of doorglass for residential doors and other building products for the home.



## Guide to What's Inside

Pages: 4-7

The Doorglass

8-47

Styles

- Architecturally Inspired
- Old World
- Craftsman
- Classic
- Contemporary
- Other Styles

48-63

#### Around the Home

- Decorative Privacy Windows
- Waterfall Textured Rain Glass
- Green Home & Low-E Doorglass
- Doorglass Blinds & Shades
- Simulated Divided Light
- Internal Muntins
- Panel Doors, Clear Glass & External Grids

64-69

Door Components

70-71

Specifications









# Natural Light

Bring light in - without sacrificing privacy.

Decorative glass casts intricate patterns of sunlight upon the interior and exterior spaces of your home, while contrasting textures create depth and let you bring in light without sacrificing privacy.



# It's the Doorglass that Makes the Difference.

Fascinate the eye with the pattern and texture of decorative glass.



# Seedy Glass

#### **Handcrafted Glass**

The beauty of handcrafted glass is that every piece is differentslight bubbles, lines, and surface imperfections are all characteristics of glass and are not to be considered as defects.



#### **Caming**

Coordinate caming with your door hardware, outdoor fixtures, or interior furnishings.



#### Texture & Privacy

A wide selection of textured glass adds dimension, depth, and contrast to our designs. We give each design a privacy rating from 1 to 10 to help you choose the level of openness or obscurity you prefer.

Opaque



#### Before & After



When consumers were shown homes with a solid door compared to a door with decorative glass, the decorative glass increased the home's perceived value by an average of 4 percent.

- ODL Proprietary Research

# Curb Appeal

Increase the perceived value of your home.

It starts with a door and becomes an entry statement. Add a sidelight or two, a transom, or even a double door. There are dozens of shapes and sizes to configure your entryway. The more glass you add, the more impressive your entryway, both inside and outside the home.



### Choose the right doorglass for your home.

Whether you are young – or young-at-heart – to making your own personal statement, we offer the very best selection of decorative doorglass that will appeal to all generations to come.

To simplify the selection process, we have grouped our decorative doorglass by style.







# Styles

With designs from Classic to Contemporary, Old World to Craftsman, we can help you add timeless beauty and enduring value to your home and to your life.

Old World

Craftsman

Classic

Contemporary











/ ircrittecturur			
Elements™	PS EX JA HM	Paris Expressions Jacinto Heirlooms	12-1 14-1
Old World	PS CD MN JA CA	Paris Cadence. Nouveau Jacinto. Catalina	18-1 20-2 22-2
Craftsman	KP MI MO	Oak Park	26-2
Classic	EX LM EP HM BT TP ME	Expressions	30-332-334-336-3
Contemporary	LI RA SM	ImpressionsRadiant HuesSimplicity	42-4
Specialty Styles	Fir Direct Glaze CraftsmanRustic Door Collection		
round The Home	Waterf The Lor Blinds Simula Interna	ative Privacy Windows	48-4 50-5 52-5 56-5
oor Components			64-6
Specifications			70-7









# Architectural Elements<sup>™</sup> for 3'0" Doors

Fluted doorglass mouldings. Coordinating corner medallions.

We've taken our most popular doorglass styles and added a new flair! Beautiful doorglass set off by generous fluted mouldings and accented with coordinating corner medallions, bring a finished appearance to the interior and exterior of any home



Paris

Expressions

Jacinto

Heirlooms

#### **Architectual Elements**™



# paris

#### PATINA CAMING

Privacy Rating 6

o Transparent

477PS



#### 478PS





#### TF 12", 14"

#### **Architectual Elements**



# expressions SATIN NICKEL

Privacy Rating 6









**TF** 30

TF 12", 14"



Clear Bevels Arctic Glass Clear Renaissance Glass

#### Patina Medallion



**Satin Nickel Medallion** 









478PS8









#### **Architectual Elements**™



# jacinto

#### WROUGHT IRON

Privacy Rating 6







**Architectual Elements**™



# heirlooms SATIN NICKEL

Privacy Rating 6











Arctic Glass





Wrought Iron



478JA8 8°

Clear Cluster Bevels Glue Chip Glass Granite Glass


Satin Nickel Medallion



Satin Nickel Caming








# paris

#### PATINA CAMING

Privacy Rating 6

o 1 Transparent Opaqu



\*507 - For 3'0" door with 2-14" sidelites

690PS







\$ 28,30 \$F 30 TF 30



S	28, 2 <sup>10</sup> , 3 <sup>0</sup>
SF	28, 2 <sup>10</sup> , 3 <sup>0</sup>
TF	28, 210, 30



	12", 14"		12", 14
	12", 14"	SF	12", 14
	12", 14"	TF	12", 14
ı			



	28,30
SF	28,30
TF	28,30







SF	28,30
TF	28,30



s 2<sup>8</sup>, 2<sup>10</sup>, 3<sup>0</sup> SF 2<sup>8</sup>, 2<sup>10</sup>, 3<sup>0</sup> TF 2<sup>8</sup>, 2<sup>10</sup>, 3<sup>0</sup>



Clear Bevels Arctic Glass Clear Renaissance Glass

Patina Caming



\*516 - For 3'0" door with 2-14" sidelites

# 00000

## low profile frame














12", 14"

12", 14"

12", 14"





double door 607PS2P



door 612PS8 sidelight 493PS8



door 607PS3P sidelight 422PS



12", 14"

12", 14"

12", 14"

12", 14"

<sup>\*</sup> Special order - call for lead time.

#### **Old World**




# cadence

Privacy Rating 6



\*532 - For 3'0" door with 2-12" sidelites





SF 28,30 TF 28,30 607CD3P



28,30 30

949CD2P



28, 30 28,30




TF 3º

949CD3PA



s 28,30

#### 422CD6P8



 $2^8, 3^0$ 28,30 TF 28,30

#### 607CD6P8



28,30 28, 30 28, 30

#### 949CD3PA8




TF 28, 30

#### 686CD3PA8



SF 28,30 TF 28,30

#### 612CD8



 $2^8$ ,  $2^{10}$ ,  $3^0$ 28, 210, 30 TF 28, 210, 30



Clear Bevel Cluster **Hammered Glass** Ripple Glass

Patina Caming



\*516 - For 3'0" door with 2-14" sidelites









28, 210, 30 28, 210, 30 TF 28, 210, 30



12", 14" 12", 14" 12", 14"



12", 14" 12", 14" 12", 14"



door 607CD2P • sidelights 422CD



12", 14" 12", 14" 12", 14"



12", 14"



12", 14"







door 612CD8 sidelight 493CD8

<sup>\*</sup> Special order - call for lead time.

#### **Old World**



#### nouveau

#### NICKEL OR PATINA CAMING

Privacy Rating 6

#### 507-MN



\*507 - For 3'0" door with 2-14" sidelites

#### 503/578-MN



\*503 - For 3'0" door with 2-14" sidelites \*578 - For 3'0" door with 2-12" sidelites

#### 659MN4PB



s 28,30 sf 28,30 TF 28,30

648MN



s 28,30 SF 28,30 TF 28,30

#### 640MN



s 28,30 SF 28,30 TF 28,30

#### 692MN4P



s 26, 28, 210, 30 SF 26, 28, 30 TF 26, 28, 30

#### 684MN2P



	$2^8, 3^0$
SF	$2^8, 3^0$
TE	28 20

690MN

#### 684MN4P




s 28,210,30 SF 28,210,30 TF 28,210,30

#### 919MN



S 28, 210, 30 SF 28, 210, 30 TF 28, 210, 30

#### 686MN



s 28, 210, 30 SF 28, 210, 30 TF 28, 210, 30

#### 692MN



s 12", 14"

SF 12", 14"

TF 12", 14"

#### 422MN



s 12", 14"

sf 12", 14"

TF 12", 14"

s 12", 14"

SF 12", 14"

TF 12", 14"

#### 422MN6P8



s 28,30 SF 28,30 TF 28,30



Clear Cluster Bevels Glue Chip Glass Clear Bevels

Nickel Caming

Patina Caming



\*532 - For 3'0" door with 2-12" sidelites





28,30

28, 30 TF 28, 30 607MN2P



28,30 TF 28,30

607MN3P



s 28,30 30 TF 3º

949MN2P



SF 28,30 TF 28,30

949MN3P



**SF** 30 TF 3º



s 28,30

#### 607MN6P8



28,30

28,30 TF 28,30

#### 949MN3PA8



sf 28,30 TF 28,30



SF 28, 30 TF 28,30

#### 422MN8



12", 14" 12", 14"



#### 690MN8



**SF** 12", 14" TF 12", 14"

#### **Old World**



# jacinto

#### WROUGHT IRON

Privacy Rating 8





\*507 - For 3'0" door with 2-14" sidelites

#### 607JA2P




28,3° TF 28,30

#### 607JA3P



SF TF



28, 210, 30 28, 210, 30 28, 210, 30

#### 422JA



12", 14" 12", 14" 12", 14"

#### **Old World**



# catalina

#### BRONZE VEIN WROUGHT IRON

#### Privacy Rating 9



\*516 - For 3'0" door with 2-14" sidelites



28,30 28,30 TF 28,30

#### 690CA



12", 14" 12", 14" 12", 14"

# 612CA8



28, 210, 30 28, 210, 30 28, 210, 30



12", 14" 12", 14"



Arctic Glass

Wrought Iron





Micro-Granite Glass





door 686CA • sidelight 690CA transom 516-CA

<sup>\*</sup> Special order - call for lead time.

#### Craftsman



# oak park

Privacy Rating 5

#### 506/507-KP



\*506 - For 3'0" door with 2-12" sidelites \*507 - For 3'0" door with 2-14" sidelites

#### 692KP4P



26, 28, 210, 30

26, 28, 30 TF 26, 28, 30

#### 684KP2P



28, 30 TF 28, 30

#### 684KP4P



28, 210, 30 28, 210, 30 28, 210, 30

#### 607KP2P



28,30  $2^8, 3^0$ 

#### 607KP3P



28,30 28, 30

28,30

### low profile frame



TF 3º



12", 14" 12", 14"

#### 422KP6P8



28,30 28,30 28,30

#### 607KP6P8



28, 30 28, 30 28, 30

#### 686KP3PA8



SF 28,30 TF 28,30



Clear Bevels Crinkle Glass Thin Reed Glass Seedy Glass

Patina Caming



# 686KP

S	28, 210, 30
SF	$2^8$ , $2^{10}$ , $3^0$
TF	28, 210, 30



28, 30 28, 30 28,30



	12", 14"
SF	12", 14"
TF	12", 14"

422KP8

12", 14"

12", 14"

12", 14"





12", 14" 12", 14" 12", 14"




12", 14" TF 12", 14"



s	12", 14"
SF	12", 14"
TF	12", 14"







door 686KP sidelight 690KP



door 607KP3P • sidelights 422KP transom 506/507/521-KP

<sup>\*</sup> Special order - call for lead time.

#### Craftsman



# madison

#### NICKEL VEIN WROUGHT IRON

#### Privacy Rating 9





#### Craftsman



# monterey SATIN NICKEL CAMING

Privacy Rating 7



\*507 - For 3'0" door with 2-14" sidelites

#### 607M02P



sf 28,30 TF 28,30

#### 607M03P



28, 30 TF 28,30



28, 210, 30 28, 210, 30 28, 210, 30



**Nickel Vein Wrought Iron** 





Clear Bevels Granite Glass Micro-Granite Glass

Satin Nickel Caming



#### Classic



# **expressions**SATIN NICKEL CAMING

Privacy Rating 6

#### 506/507-EX



\*506 - For 3'0" door with 2-12" sidelites \*507 - For 3'0" door with 2-14" sidelites

# 532-EX

\*532 - For 3'0" door with 2-12" sidelites

#### 692EX4P



26, 28, 210, 30 26, 28, 30 26, 28, 30

#### 684EX2P



 $2^8, 3^0$ 28,30  $2^8, 3^0$ 

#### 684EX4P



28, 210, 30 28, 210, 30 28, 210, 30

#### 607EX2P



28, 30 28, 30

#### 607EX3P



28,30 28,30  $2^8, 3^0$ 

#### 422EX



12", 14" 12", 14" 12", 14"



12", 14" 12", 14" 12", 14"

#### 422EX6P8



 $2^8, 3^0$ 28,30 28,30

#### 607EX6P8



 $2^8, 3^0$ 28,30 TF 28,30

#### 686EX3PA8



sF 28, 30 TF 28, 30



Clear Bevels **Gray Renaissance Glass** Granite Glass



\*516 - For 3'0" door with 2-14" sidelites





- 28, 210, 30 28, 210, 30 28, 210, 30
- 612EX8

28,30  $2^8, 3^0$ TF 28, 30





- $2^8, 3^0$
- $2^8$ ,  $2^{10}$ ,  $3^0$ 28,30

12", 14"

12", 14"


12", 14"





12", 14"

TF 12", 14"



12", 14"

12", 14"

TF 12", 14"

692EX



TF 12", 14"



double door 607EX2P



door 607EX6P8 • sidelights 422EX8 transom 506/507-EX

<sup>\*</sup> Special order - call for lead time.

#### Classic



# legacy master

Privacy Rating 7

#### 506/507-LM



\*506 - For 3'0" door with 2-12" sidelites \*507 - For 3'0" door with 2-14" sidelites





26, 28, 210, 30 26, 28, 30 TF 26, 28, 30

#### 684LM2P



 $2^8, 3^0$ 28,30 28,30

#### 684LM4P



28, 210, 30 28, 210, 30 28, 210, 30

#### 607LM2P



SF 28,30 TF 28,30



 $2^8, 3^0$  $2^8, 3^0$ 28,30

#### 949LM2P



28,3º **TF** 2<sup>8</sup>, 3<sup>0</sup>



12", 14" 12", 14" 12", 14"

#### 422LM



12", 14" SF 12", 14" 12", 14"



12", 14" 12", 14" 12", 14"

#### 422LM6P8



28,30 28,30  $2^8, 3^0$ 

#### 607LM6P8



28,30 SF  $2^8, 3^0$ 28,30

#### 949LM3PA8



28,30 TF 28,30

#### 686LM3PA8



 $2^8, 3^0$ 28, 30



Clear Cluster Bevels Clear Renaissance Glass Gray Renaissance Glass







949LM3PA

s 28,30

422LM8

#### 686LM



s 28, 210, 30 28, 2<sup>10</sup>, 3<sup>0</sup> TF 28, 210, 30



612LM8

#### 690LM8



12", 14"

12", 14" 12", 14" TF 12", 14" 12", 14"



12", 14" 12", 14" 12", 14"



door 949LM3PA • sidelights 422LM transom 506/507-LM



door 607LM6P8 sidelight 422LM8

s 28,30

SF 28, 30

TF 28, 30

# Classic

# escapades NICKEL CAMING

Privacy Rating 5



\*507 - For 3'0" door with 2-14" sidelites



s 26, 28, 210, 30 26, 28, 30 TF 26, 28, 30



 $2^8, 3^0$ 28, 30 TF 28, 30



28, 210, 30 28, 210, 30 28, 210, 30



SF 28, 30 TF 28,30



28,30 28,30



 $2^8, 3^0$ 28,3° TF 28,30



28,3° 28,30 TF 28,30



SF 28, 30 TF 28,30



12", 14" 12", 14" 12", 14"



12", 14" TF 12", 14"



Clear Bevel Clusters
Slush Glass
Frosted Glass
Clear Renaissance Glass

Nickel Caming



686EP



\$ 28, 210, 30 \$F 28, 210, 30 TF 28, 210, 30



s 12", 14"

SF 12", 14"

TF 12", 14"



s 12", 14"

SF 12", 14"

TF 12", 14"

690EP



s 12", 14"

SF 12", 14"

TF 12", 14"



double door 686EP



double door 686EP3PA8



door 607EP2P sidelight 422EP



door 422EP6P8 • sidelights 422EP8 transom 507-EP

#### Classic

# heirlooms

#### BRASS OR SATIN NICKEL CAMING

#### Privacy Rating 6

#### 517-HM



\*517 - For 3'0" door with 2-12" sidelites

#### 506/507-HM



\*506 - For 3'0" door with 2-12" sidelites \*507 - For 3'0" door with 2-14" sidelites



\*503 - For 3'0" door with 2-14" sidelites \*578 - For 3'0" door with 2-12" sidelites

#### 659HM4PB



28, 30 28, 30 28, 30

#### 640HM



28, 30 28, 30 TF 28, 30

#### 632HM



s 28, 30

#### 692HM4P



26, 28, 210, 30 26, 28, 210, 30



28, 30 28, 30 28, 30

#### 684HM4P



28, 210, 30 28, 210, 30 28, 210, 30

#### 686HM



28, 210, 30 28, 2<sup>10</sup>, 3<sup>0</sup> SF 28, 210, 30



12", 14" 12", 14" 12", 14"



12", 14" 12", 14" 12", 14"

SF

#### 690HM



12", 14" 12", 14" 12", 14"

#### 422HM6P8

26, 28, 210, 30



28, 3° 28, 30 SF TF 28, 30

#### 607HM6P8



28, 30 28, 30 28, 30

#### 949HM3PA8



28, 30 28, 30




Clear Cluster Bevels Glue Chip Glass Granite Glass

Brass Caming

Satin Nickel Caming







\*516 - For 3'0" door with 2-14" sidelites









	28, 30
SF	28, 30
TF	28, 30



28, 30 TF 28, 30



TF 3º



s 28, 30 28, 210, 30 28, 210, 30 28, 210, 30



28, 30 28, 30



	28, 30
SF	28, 30
TF	28, 30



SF         12", 14"         SF         12"           TF         12", 14"         TF         12"	
TF 12" 14" TF 12"	,
12 , 14 12	,



		12", 1
14"	SF	12", 1
14"	TF	12", 1



919HM

door 949HM3PA sidelight 422HM

 $<sup>^{\</sup>star}$  Special order - call for lead time.

#### Classic



# bristol

#### SATIN NICKEL CAMING

Privacy Rating 6

O Transparent

506-BT



\*506 - For 3'0" door with 2-12" sidelites

692BT4P



s 26, 28, 210, 30 26, 28, 30 TF 26, 28, 30

#### 684BT2P



28,30 28,30 TF 28,30

#### 684BT4P



28, 210, 30 28, 210, 30 28, 210, 30



SF 28,30 TF 28,30

#### 607BT3P



s 28,30 28,30 28, 30



12", 14" 12", 14" 12", 14"

#### 422BT



12", 14" 12", 14" TF 12", 14"



12", 14" SF 12", 14" TF 12", 14"

#### 422BT6P8



S SF 28,30 28,30 TF 28,30

#### 607BT6P8



s 28,30 SF 28,30 TF 28,30

#### 949BT3PA8



sf 28,30 TF 28,30



Clear Bevels **Hammered Glass** Granite Glass Clear Cluster Bevels

Satin Nickel Caming









sf 28, 30 TF 28, 30



SF 30 TF 3º



28,30 28,30 TF 28,30




s 28,30



12", 14" 12", 14" 12", 14"



s 28, 210, 30 28, 210, 30 TF 2<sup>8</sup>, 2<sup>10</sup>, 3<sup>0</sup>



12", 14"

TF 12", 14"

12", 14" 12", 14" TF 12", 14"

#### Classic




# tripoli

#### PATINA CAMING

Privacy Rating 8

nsparent Opa

#### 692TP4P



s 26, 28, 210, 30

SF 26, 28, 30 TF 26, 28, 30

#### 684TP2P



s 28,30

SF 28, 30 TF 28, 30

#### 684TP4P



s 28, 210, 30

SF 28, 210, 30 TF 28, 210, 30

#### Classic



# majestic

#### PATINA CAMING

Privacy Rating 8

0 10 Transparent Opaque

#### 640ME



s 28,30

SF 28,30

TF 28,30

#### 692ME4P



s 26, 28, 210, 30

SF 2<sup>6</sup>, 2<sup>8</sup>, 3<sup>0</sup> TF 2<sup>6</sup>, 2<sup>8</sup>, 3<sup>0</sup>

SF 28, 30

TF 28,30

\* Special order - call for lead time.

28,30



Glue Chip Cluster Bevels Glue Chip Glass Alabaster Glass

Patina Caming





Glue Chip Bevels Glue Chip Glass Gray Soft Wave Glass





#### Contemporary



# impressions

Privacy Rating 7

507-LI



\*507 - For 3'0" door with 2-14" sidelites

659LI4PB



 $2^8, 3^0$ 28,3° 28,30

692LI4P



26, 28, 210, 30 26, 28, 30  $2^6, 2^8, 3^0$ 

684LI2P



 $2^8, 3^0$  $2^8, 3^0$  $2^8, 3^0$ 

684LI4P



28, 210, 30 28, 210, 30 28, 2<sup>10</sup>, 3<sup>0</sup>

949LI2P



SF 28, 30 TF 28, 30

692LI



12", 14" 12", 14" 12", 14"

#### 690LI



S SF 12", 14" 12", 14" 12", 14"

#### 949LI3PA8



 $2^8, 3^0$ TF 28,30

#### 686LI3PA8



TF 28,30

#### 612LI8



28,30 SF 28,30 TF 28,30



Clear Bevels Iced Granite Glass Streamed Glass Clear Renaissance Glass









s 28, 210, 30

686LI



s 28, 210, 30 SF 28, 210, 30

TF 28, 2<sup>10</sup>, 3<sup>0</sup>



double door 692LI4P







12", 14"

12", 14"

493L18



s 12", 14"

**SF** 12", 14"

TF 12", 14"



door 684LI2P sidelight 692LI





door 949LI3PA8 • sidelight 493LI8 transom 507-LI

 $<sup>^{\</sup>star}$  Special order - call for lead time.

# **Contemporary**

# radiant hues

#### NICKEL CAMING

Privacy Rating 6

#### 506/507-RA



\*506 - For 3'0" door with 2-12" sidelites \*507 - For 3'0" door with 2-14" sidelites









28, 30 28, 30 28, 30



28, 210, 30 28, 210, 30 TF 28, 210, 30



28, 30 TF 28, 30




TF 12", 14"





TF 12", 14"





28,30 28, 30 TF 28, 30



 $2^8, 3^0$ 28, 30 TF 28, 30



28, 30 28, 30



Clear Bevels Gray Renaissance Glass Clear Renaissance Glass

686RA

s 28, 210, 30

TF 28, 210, 30

28, 210, 30

Mickel Calling

517-RA



\*517 - For 3'0" door with 2-12" sidelites



- s 28,30
- SF 28, 30
- TF 28,30




- SF 28, 30
- TF 28, 30

#### 949RA2P



- **SF** 28, 30
- TF 28,30

#### 612RA8



- s 28,30
- SF 28,30 TF 28,30

#### 949RA3P



SF 3<sup>0</sup>

#### 422RA8



- s 12", 14"
- SF 12", 14"
  TF 12", 14"

#### 949RA3PA




s 28, 210, 30

#### 493RA8

690RA8

SF 12", 14"

TF 12", 14"



- s 12", 14"
- sf 12", 14"
- TF 12", 14"



# **Contemporary**

# simplicity DECORATIVE GLASS

Privacy Rating 7



26, 28, 30









# fir grain direct glaze craftsman

Metropolis Privacy Rating 6

Spring Privacy Rating 6

Clear Beveled Privacy Rating 2

Doors and Sidelites Available in 68 Only









Frosted Glass Grooved Glass

















Clear Chord Glass Light Water Glass Pale Grey Water Glass Patina Caming




Beveled Glass Patina Caming







# rustic door collection PLASTPRO



rustic door collection





PLRP2A30NP



 $3^{\circ} \times 8^{\circ}$ rustic door collection





One Panel w/ Arch Plank

 $3^6 \times 8^0$ rustic door collection



One Panel w/ Plank Two Panel w/ Plank



**Rustic Square Clavos** 1<sup>1</sup>/<sub>4</sub>" - PLCLVS14S 1<sup>1</sup>/<sub>2</sub>" - PLCLVS12S

# camellia collection wrought IRON

#### Privacy Rating 9





Two Panel w/ Arch Plank Curved Top



Two Panel



Two Panel w/ Arch



Two Panel w/ Plank



Arch Plank



Two Panel w/ Arch Plank Curved Top







Two Panel w/ Arch Plank

PLR2C368NP



Two Panel w/ Arch Plank Curved Top

#### CAM3R4



\*30 x 68 Two Panel w/ Arch Camelia Wrought Iron

# CAM3R5



\*3° x 8° Two Panel w/ Arch Plank Camelia Wrought Iron



# decorative privacy windows 48" X 48" SIZE

Privacy Rating 6-9

Expressions 531EX - Satin Nickel Caming



Tripoli 531TP - Patina Caming



#### **Around the Home**



# waterfall

TEXTURED RAIN GLASS

Privacy Rating 9



26, 28, 210, 30

26, 28, 30

TF 26, 28, 30



26, 28, 210, 30

26, 28, 30 TF 26, 28, 30



28, 210, 30

28, 210, 30

28, 210, 30

Cadence 531CD - Patina Caming









Nouveau 531MN - Nickel Caming

Textured Rain Glass

684RN2P



s 28,30 SF 28,30 TF 28,30

#### 684RN4P



s 28, 210, 30

SF 28, 2<sup>10</sup>, 3<sup>0</sup> TF 28, 210, 30



s 28, 210, 30 SF 28, 210, 30 TF 28, 210, 30



12", 14"

S SF 12", 14" TF 12", 14" 694RN



12", 14"

12", 14" TF 12", 14"

Maximizing natural light into the home is a green design principle.

#### A green home.

#### **Doorglass solutions.**

A green home doesn't have to compromise beauty or natural light. ODL has doorglass solutions that help conserve energy and improve indoor air quality.



Blinds can reduce solar heat gain up to 77%.

Decorative doorglass, Low-E doorglass, and doorglass blinds help control unwanted radiant heat gain.







#### € Look for Low-E

Energy saving. Comfortable living.

€ indicates dooglass that is available with Low-E glass made with an invisible thin metallic coating that blocks heat flow. See page 80 or visit www.odl.com for more information.



Proven Energy Saver

Reduce Fabric Fading

Eliminate Drafts and Cold Spots

Reduce Condensation





Doorglass blinds and shades never need dusting. This helps improve indoor air quality and reduce exposure to allergens.

ODL Energy Star rated tubular skylights bring soft natural light into dark spaces.



# motorized RAISE & LOWER BLINDS

- Meets ADA requirements for accessible forward reach.
- Can paint or stain over pushpad controls.
- Cycle tested to ensure trouble-free operation.
- Raise & tilt at the touch of a button.
- Operates on four "C" batteries.

684MBL2P



s 28, 210, 30 SF 28, 30

#### 684MBL4P



SF 2<sup>8</sup>, 2<sup>10</sup>, 3<sup>0</sup> **TF** 28, 210, 30



- s 28, 210, 30
- 28, 210, 30 TF 28, 210, 30

#### **Around the Home**



# doorglass shade

- Shades are sealed between tempered safety glass.
- LightTouch\* controls easily raise and lower internal shade.
- Lift from the bottom, lower from the top, or both.

#### 2236P2P



s 2<sup>8</sup>, 2<sup>10</sup>, 3<sup>0</sup> SF 2<sup>8</sup>, 3<sup>0</sup>

#### 2036P4P / 2236P4P



- s 2<sup>6</sup> / 2<sup>8</sup> , 2<sup>10</sup> , 3<sup>0</sup>
- 26 / 28 . 210 . 30
- 26 / 28, 210, 30

#### 2064P / 2264P



- s 26/28,210,30
- 26 / 28 , 210 , 30
- 26 / 28 , 210 , 30















# doorglass blinds

- Fingertip tilt control.
- LightTouch® control raises and lowers the blind with 4 pounds of force on the 64" size.
- No Dusting Blinds are sealed between tempered safety glass.











s 28, 210, 30

SF 28,30

#### 2036MRH4P / 2236MRH4P



s 26/28,210,30

26 / 28 , 210 , 30


TF 26 / 28, 210, 30

#### 2248MRH2P



#### 2248MRH3P







S 2<sup>6</sup> / 2<sup>8</sup> , 2<sup>10</sup> , 3<sup>0</sup> SF 2<sup>6</sup> / 2<sup>8</sup> , 2<sup>10</sup> , 3<sup>0</sup> TF 2<sup>6</sup> / 2<sup>8</sup> , 2<sup>10</sup> , 3<sup>0</sup>





864MRH





# internal muntin blinds

- Triple glazed design improves energy efficiency.
- Available in white only

#### 22369MH2P



s 28, 210, 30

#### 22369MH4P



s 28, 210, 30 28, 210, 30 TF 28, 210, 30

226410MH



- 28, 210, 30
- 28, 210, 30 TF 28, 2<sup>10</sup>, 3<sup>0</sup>

#### **Around the Home**



# simulated divided light

#### low profile frame





# 6

819SDLES

12", 14"

12", 14"











# internal muntins PRAIRIE STYLE





s 28, 210, 30 sf 28, 30 TF 28, 30



s 28,30 SF 28,30 TF 28, 30

#### 22369PGH4P



s 28, 210, 30 SF 28, 210, 30 TF 28, 210, 30



s 28, 30 28, 30 TF 28, 30

#### **Around the Home**



## internal muntins

5/8" MUNTIN BAR



s 28, 30 SF 28, 210, 30 TF 28, 2<sup>10</sup>, 3<sup>0</sup>

#### 22369GH2P



s 28,30 28,30 TF 28,30

#### 20369GH4P / 22369GH4P



2<sup>6</sup> / 2<sup>8</sup> , 2<sup>10</sup> , 3<sup>0</sup> 26 / 28, 210, 30 26 / 28, 210, 30


# 0

224812GH39

s 28,30 28,30 TF 28,30







## panel doors



s 2°, 24, 26, 28, 21°, 3°, 36, 4°
sr 2°, 26, 28, 21°, 3°

20, 26, 28, 210, 30



\$ 28,30 \$F 28,30 TF 28,30



s 28,30 sf 28,30



s Z°, Z°, 3°



SF 28, 30 TF 28, 30



SF 30 TF 30



s 28, 30



\$ 28,30 \$F 28,30 TF 28,30



SF 28,30 TF 28,30



5 2°, 2°, 2°, 3° SF 2°, 28, 3° TF 2°, 28, 3°



SF 30 TF 30



SF 28,30 TF 28,30



s 2°, 26, 28, 3° sr 2°, 26, 28, 3°, 36 Tr 2°, 26, 28, 3°, 36



SF 28, 30



SF 28, 30



SF 28, 30, 36 TF 28, 30, 36



SF 28, 30 TF 28, 30



s 28,30 SF 26,28,30 TF 26,28,30

# clear doorglass & external grids

#### **Around the Home**



517-CL

\*517 - For 3'0" door with 2-12" sidelites



\*506 - For 3'0" door with 2-12" sidelites \*507 - For 3'0" door with 2-14" sidelites



s 26, 28, 210, 30 SF 28, 210, 30 TF 28, 210, 30



s 28, 30 sr 28, 30 Tr 28, 30



s 28,30 sr 28,30 tr 28,30



s 28, 30 SF 28, 30 TF 28, 30



\$ 28,30 SF 28,30 TF 28,30



SF 28, 30 TF 28, 30



SF 28, 30 TF 28, 30



s 2<sup>8</sup>, 3<sup>0</sup> sf 2<sup>8</sup>, 3<sup>0</sup> TF 2<sup>8</sup>, 3<sup>0</sup>



s 28,30 SF 28,30 TF 28,30



S 26 / 28 , 210 , 30 SF 26 / 28 , 210 , 30 TF 26 / 28 , 210 , 30



S 2<sup>6</sup> / 2<sup>8</sup> , 2<sup>10</sup> , 3<sup>0</sup>
SF 2<sup>6</sup> / 2<sup>8</sup> , 2<sup>10</sup> , 3<sup>0</sup>
TF 2<sup>6</sup> / 2<sup>8</sup> , 2<sup>10</sup> , 3<sup>0</sup>



s 26/28,210,30 sf 26/28,210,30 TF 26/28,210,30

# clear doorglass & external grids



s 28, 210, 30 28,30 TF 28,30



28,3° TF 28,30



s 28,30 **SF** 28, 30 TF 28,30






s 28,30



26 / 28 , 210 , 30  $2^6/2^8$ ,  $2^{10}$ ,  $3^0$ 26 / 28 , 210 , 30



 $2^6 / 2^8, 2^{10}, 3^0$ 26 / 28, 210, 30 26 / 28, 210, 30



s 26 / 28, 210, 30 26 / 28 , 210 , 30 26 / 28 , 210 , 30



12", 14" 12", 14" 12", 14"



12", 14" 12", 14" 12", 14"



12", 14" TF 12", 14" 12", 14"



12", 14"

12", 14"

12", 14" 12", 14" TF 12", 14"

#### Simulated Divided Light



#### low profile frame



SF	30
TF	30







#### flushed glazed

PLGFGE228N

PLGFGE230N



PLGFG1E28

PLGFG1E30



PLGFGE308N



#### Sills

#### **HIGH DAM SILLS AND ASTRAGALS**

#### Sills available in the following finishes:



Satin Nickel Finish



Mill Finish





**Brass Finish** 

#### **High Dam Sills**

The high dam sill features exclusive unibody construction an weather-tough materials to deliver maintenance-free reliability, even in the most moist and harsh climates.

Precision engineered rail adjust upward and downward for sealed tight protection. Counter beveled, two-piece, press fit screws easily adjust with a common #3 Phillips screwdriver.

Composite vinyl rail and nose retain "furniture" finish appearance in damp, inclement environments without showing signs of weathering, fading or staining.

#### **Astragals for Steel** and Fiberglass Doors

With our Astragals you no longer have to worry about poor performance from your French door systems. They eliminate water and air infiltration that is so common with other systems. Flush bolts are included. Outswing pairs include an aluminum security cover.





## Jamsills, Packaging & Hinges

FROM IMP

#### **Jamsill Guard**

Jamsill Guard is an adjustable sill pan flashing for exterior doors designed to help prevent water damage from door leaks. This product has been time tested for over 24 years with over 1 million sold. It is able to accommodate most door applications in either 2 x 4 or 2 x 6 construction and is not visible after installation.



Telescopes for adjustability during installation



#### **Packaging**

Our product has the ultimate protection for transportation, storage, and on the job site.

#### Simple Solution™ Compression Corner Seal

Innovative design. Air pressure increases on the exterior side of a door system causing water to flow up the interior column of the weatherstrip. The Simple Solution™ blocks water under these conditions and the result is improved performance in a door system that will not leak.



Removing and replacing weatherstrip and corner pads during painting often results in gaps, damaged weatherstrip and improperly applied or lost corner pads. Endura now provides a protective plastic film covering to weatherstrip and Simple Solution corner pads, which allow these components to be left in place during painting of exterior frames and doors. Simply remove the film when painting is complete.

#### **Hinge Options**

Select the hinge that matches the hardware throughout the rest of your home.



## **PF Frames**<sup>™</sup>

#### **FROM PLASTPRO**



PF Frames™ from Plastpro, Inc. are an innovative new alternative to traditional wood door jambs. After extensive research and development, Plastpro has formulated a poly-fiber doorframe system that combines all the strengths and convenience of wood with enhanced properties that make it moisture, rot, and insect resistant. This unique formulation means that Plastpro's PF Frames™ will not absorb or wick moisture and will never warp, splinter, or rot. The advanced PF Frames™ system can be machined the same way as traditional wood jambs with no added hassles. Plastpo's PF Frames™ guarantee a long-lasting, rot-free entryway that will maintain its integrity today, tomorrow, as well as years down the road.



**SMOOTH JAMB** 

4-9/16, 6-9/16, 7-1/4











#### **Embossed, Ready to Stain**

#### White Capped, No Paint Required

#### **Painted White**







#### **Features and Benefits**

- Closed cellular structure ensures doorframe & molding will not absorb or wick moisture, and prevents warping, rotting, and splitting.
- Rigid poly-fiber formulation eliminates the need for an aluminum support channel.
- Easily machined just like traditional wood doorframe.

- Matching composite astragals and mullposts offering sidelite and transom capabilities.
- Available in smooth semi-gloss white cap and stainable textured embossed.
- Available in various lengths.





### swinging door

**MULTI-POINT HARDWARE** 

# Swinging Door

#### **Multi-Point Hardware**

Trilennium™ Multi-Point Hardware system provides more than just security . . . it offers homeowners better door closure and sealing than a single point lock. Featuring a durable and ergonomic design that allows for easy door operation.


I-beam construction incorporates greater strength, stiffness and security into the complete lock system. Its performance exceeds most industry standard security requirements.

Fabrication is easy utilizing W&F's template system, or for high volume automated routing equipment. Once the door is fabricated the lockset is 'let-in' and held securely into place with six mounting screws.

French Trilennium<sup>™</sup> systems are available for the secondary panel of French-hinged applications with matching handle sets.

Varieties of handle sets and finishes available for your unique door or we can match a custom design to your needs.

Security and functionality are paramount when choosing door hardware, and you'll find both in Trilennium™, a truly innovative Multi-Point Hardware solution from W&F Manufacturing.



# **Eclipse - Satin Nickel Pinnacle - Bright Chrome Eclipse - Victorian Bronze Pinnacle - Brass**

Manufacturing

#### **Lock Features**

- Added Security All 3 points latch and all 3 points deadbolt (1" throw)
- Release of the latch and deadbolt is a single downward movement (Intuitive North American Function)
- Roller construction for easy, low force operation
- Excellent impact testing performance
- Excellent cycle testing performance
- Top and bottom latch design allows for door misalignment and 3/16" pull-in when deadbolted
- Solid brass 5-pin cylinder with Weiser keyway, may be customer rekeyed to Kwikset, Master or Weslock
- Optional Schlage "C" cylinders
- Deadbolts include anti-saw hardened steel pin
- Standard heights for 6'8" and 8'0",
  - Custom heights available
- Template systems available for easy plunge router fabrication

#### **Handle Set Features**

- Variety of styles and finishes available
- Visual locked/unlocked indication -90° thumbturn rotation
- Solid brass strikeplates and faceplates
- W&F trim sets can drive our multipoint or traditional latch and deadbolt

#### **System Features**

- Proven design and reliability (over 10 years of field operation)
- Designed and manufactured in the USA
- French door thumbturn-driven shoot bolt systems
- 10 year residential limited warranty on materials and workmanship

# Strike Rollers (3 places) 3/16" Draw-in (top/bottom latch bolts) Dust Box (3 places) Reinforcing Steel Plate (3 places) Brass Strike (3 places) I-Beam and Brass Face Plate

Hardened Steel

Pins (3 places)

#### **Available Finishes:**

- Bright Brass
- Bright Chrome
- Satin Nickel
- Victorian Bronze
- Solid Brass (PVD "Lifetime" Coating)
- Solid Bronze (Seven Patinas)
- Antique Brass
- Satin Chrome
- Antique Nickel
- White

Stile Section

#### **Decorative Doorglass**

ODL Decorative Doorglass is sealed between 2 panels of tempered safety glass and are insulated for air- and water-tight performance.

Thermally Sealed to Save Energy

Decorative Doorglass

Clear Tempered Safety Glass





#### **Low-E Clear Doorglass**





Available as a clear doorglass option, Low-E glass is made with an invisible thin metallic coating that blocks heat flow. A proven energy saver, Low-E glass reduces air conditioning costs by reducing solar transmissions in the summer. In the winter, it reduces heat loss to the outside and allows solar energy to pass inside. Available in Severe Weather, Blinds and Shades, Internal Muntins, and Clear Doorglass. **See www.odl.com for specific thermal performance information.** 



- Allows solar energy in
- Reduces as much as 71% of heat loss
- Reduces drafts and cold spots



- · Reduces direct sun rays
- Reduces cooling loss
- Blocks re-radiated solar heat
- Filters UV rays



#### **REDUCES FABRIC FADING**

Low-E glass protects fabrics, carpets and all coverings from fading by blocking up to 61% of harmful ultra-violet rays.



#### **ELIMINATES COLD SPOTS AND DRAFTS**

In cold weather, Low-E glass stays warm on the insideminimizing cold spots and convection currents.



#### REDUCES CONDENSATION

Cold glass and warm, moist indoor air can cause damaging condensation. Low-E glass keeps glass warmer, which reduces condensation.


#### **Decorative Privacy Windows**



An added layer of obscurity brings in natural light, but blocks the view in-making these windows ideal for areas where you seek natural light, while maintaining privacy.



- Size: 4'0" x 4'0"
- Maintenance-free exterior frame no painting!
- Energy-efficient
- Insulated tempered glass with an outside layer of obscurity glass to ensure privacy while still admitting light
- Available in 4%" and 6%" jambs



#### **All ODL Doorglass features Safety Glass**





Safety glass is up to four times as strong (impact resistant) as annealed glass.

If broken, it shatters into many small fragments, which prevent major injuries.

Tempered safety glass is produced from annealed glass using a heat treating process.

#### **Frame Details**

ODL offers a variety of frame options for you to choose from. See www.odl.com for more information about doorglass frames.





#### ARCHITECTURAL ELEMENTS™ FOR 3'0" DOORS

**FLUTED SERIES** 

Ready to stain or paint. Will not yellow.





#### HP PRO™ FRAME

PAINT/STAIN READY & MAINTENANCE-FREE

Ready to stain or paint. Available in tan. Will not yellow.





#### **HP FRAME**

MAINTENANCE-FREE

No need to paint. Available in white. Will not yellow. Paintable with primer.

#### **Quality You Can Trust**

ODL Doorglass must survive our test of 50,000 slam cycles.






Blinds and shades are tested



Tempered safety glass meets requirements of ANSI Z97.1



ODL products undergo extensive testing and quality checks and are covered by separate limited warranties.

This is to assure protection against air- and waterinfiltration in accordance with ASTM standards. This maintains the integrity of the entry door and its thermal performance.

#### Warranty

ODL products are covered by separate limited warranties. The warranty does not apply to damage from shipping, handling, installation, storage, environmental conditions, or unusual service conditions or usage. For warranty information contact: ODL Customer Service, 215 East Roosevelt Avenue, Zeeland, Michigan 49464, www.odl.com.

www.orepac.com 1-877-4-OrePac







